


Product data sheet

176 N-7/193

EAN-No. 4000896264810



193-pieces · 7 Drawers total ·



Application:

Efficient, mobile organisation of tools

- Tool trolley
- 5 flat and 2 high drawers
- Complete with 193-piece tool assortment in Safety-Insert-System soft foam insert
- High flexibility: Handle and castors can be mounted either on the left or right

Work areas

- Solvent-resistant plastic cover with textures and large recessed, fully usable work surface
- Fully sealed work surface protects inside of trolley from leaking liquids
- Work surface border strip prevents parts from falling down

Body / Pull-handle

- Extremely robust design thanks to double-walled structure
- Complete welded construction of the entire body for tough daily workshop use
- Bevelled edges prevent damage
- Numerous fixing options
 - Square perforation on the left and right sides, e.g. for HAZET tool hooks of the article group 112 for tools or other attached parts such as: can holder, holder for paper reel, paper bin, etc.
 - Rear screw points for mounting additional accessories
- Sturdy handle can be firmly mounted on both sides of the body

Locking concept

- 2-stage locking
 - Central locking, lockable with cylinder lock and 2 folding keys
 - Mutual drawer locking for minimum tilting risk

Drawer concept

- Reciprocal locking of the drawers prevents unwanted opening
- 100 % pull-out with ball-bearing guiding rails
- Handle strips for a comfortable feel
- Dirt-resistant drawer coating for easy cleaning

High performance chassis

Product data sheet

176 N-7/193

EAN-No. 4000896264810



- Large wheels with high loading capacity, precision ball bearing and dual rounded rim in the pivot bearing, easy manoeuvrability, even with high dynamic load
- 2 swivel castors with dual brake:
 - Braked castors prevent rolling away
 - Braked swivel bearings prevent the swivel castors from turning, e.g. on inclined surfaces
- Protective ring prevents dirt and threads from getting in
- Elastic castors enable smooth movement
- Total loading capacity (dynamic): 480 kg
- Loading capacity (static): 480 kg
- Loading capacity per drawer: 20 kg
- Colour: HAZET blue
- Tool trolley Made in Germany
- Dimensions: 780 mm x 498 mm x 1018 mm
- Drawers, flat: 5x 81 x 522 x 348 mm
- Drawers, high: 2x 166 x 522 x 348 mm
- (Drawer) size for plastic drawer insert: 3/3
- Worktop: Plastic, resistant to solvent, with integrated storage wells
- Worktop height: 1002 mm
- Number of fixed castors: 2 (∅ 125 mm)
- Number of swivel castors: 2 (∅ 125 mm)
- Number of tools: 193

Order Number

176 N-7/193



176N-7



163-613/152

6.3 1/4, 12.5 1/2, 6.3 1/4



751HS/5



850 • • 6.3 1/4
 4 • 4.5 • 5 • 5.5 • 6 • 7 • 8 •
 9 • 10 • 11 • 12 • 13



863HP • 6.3 1/4



863MB • 6.3 1/4



867-2 • 6.3 1/4 • 6.3 1/4



900 • • 12.5 1/2
 10 • 11 • 12 • 13 • 14 • 15 •
 16 • 17 • 18 • 19 • 21 • 22 •
 24 • 27 • 30 • 32



916HP • 12.5 1/2



917-5 • 12.5 1/2 • 12.5 1/2



2105LG/9H • O



2116LG/8H • O



2204N • O • 6.3 1/4
 2 • 2.5 • 3 • 4 • 5 • 6 • 7 • 8



2204NSLG • O • 6.3 1/4
 3 • 4 • 5 • 6



2208N • • 6.3 1/4
 0.4 x 1.5 • 0.5 x 4 •
 0.6 x 4.5 • 0.8 x 5.5 • 1 x 6 •
 1.2 x 6.5 • 1.2 x 8



2208NSLG • • 6.3 1/4
 0.8 x 5.5



2215N • • 6.3 1/4
 PH1 • PH2 • PH3



2215NSLG • • 6.3 1/4
 PH1 • PH2



2216N • • 6.3 1/4
 PZ1 • PZ2 • PZ3



2216NSLG • • 6.3 1/4
 PZ1 • PZ2



2223N • • 6.3 1/4
 T6 • T7 • T8 • T9 • T10 •
 T15 • T20 • T25 • T27 •
 T30 • T40



2223N • • 6.3 1/4
 T7H • T8H • T9H • T10H •
 T15H • T20H • T25H •
 T27H • T30H • T40H



2223NSLG • • 6.3 1/4
 T20 • T25 • T30



2250-1 • 6.3 1/4 • 6.3 1/4



2304N • 6.3 1/4 • 6.3 1/4



163-614/16

• •

Product data sheet

176 N-7/193

EAN-No. 4000896264810



760-26



811 • ●
0.5 x 3 • 0.8 x 4 • 1 x 5.5 •
1.2 x 6.5



811PH • ●
PH1 • PH2




811T • ●
T10 • T15 • T20 • T25 •
T27 • T30



811BH • ●^{1/4}



811BML • ●^{1/4}



163-673/25



450N • ●
6 x 7 • 8 x 9 • 10 x 11 •
12 x 13 • 14 x 15 • 16 x 17 •
18 x 19 • 21 x 22



600N • ●
6 • 7 • 8 • 9 • 10 • 11 • 12 •
13 • 14 • 15 • 16 • 17 • 18 •
19 • 21 • 22 • 24